Journal of
Controversies in Obstetrics & Gynecology and Pediatrics

Review

DOI: 10.51271/JCOGP-0032

Nutritional support for immune health during infections

Ali Emrecan Ata[1], Ayşegül Alpcan[2], Serkan Tursun[2], Yaşar Kandur[2]

[1] Department of Food Processing, Suluova Vocational School, Amasya University, Amasya, Turkiye
[2] Department of Pediatrics, Faculty of Medicine, Kırıkkale University, Kırıkkale, Turkiye

Cite this article: Ata AE, Alpcan A, Tursun S, Kandur Y. Nutritional support for immune health during infections . *J Controv Obstetr Gynecol Ped.* 2024:2(2):38-43.
Corresponding Author: Ayşegül Alpcan, ozcalk@yahoo.com.tr
Received: 02/04/2024 ◆ **Accepted**: 28/04/2024 ◆ **Published**: 29/04/2024

ABSTRACT

Infectious diseases are common in underdeveloped and developing countries. Malnutrition plays an important role in disease etiology, remarkably increasing morbidity and mortality risks during the early stages of life, such as infancy and childhood. Nutrients such as glutamine, arginine, omega-3 and omega-6 fatty acids, zinc, selenium, iron, vitamins A, C, E, D and B6, components of breast milk, and adequate energy intake strengthen the immune system, reduce infection risk, and play a key role in combating diseases. This review highlights the importance of nutrition for the treatment of infectious diseases.

Keywords: Nutrition, immunity, infectious diseases

INTRODUCTION

Adequate nutrition is essential to prevent infections and reduce morbidity and mortality. Nutritional status influences the host's susceptibility to infections and its ability to fight them.[1] Malnutrition is the primary cause of immunodeficiency (Figure).[2]



Figure. Cycle of the malnutrition and infection[7]

Owing to the deficiency of some micronutrients, the immune system is adversely affected, causing a weakening of the immune system and infection.[3,4] Therefore, adequate nutrition is critical during fetal development and infancy, when the immune system is not fully mature.[5]

Infectious diseases are differently affected by nutritional intake. Diseases such as pneumonia, infectious diarrhea, measles, and tuberculosis are highly affected by malnutrition, while infections such as influenza, viral encephalitis, and tetanus are moderately or minimally affected by malnutrition.[6]

EFFECTS OF NUTRIENTS ON INFECTIOUS DISEASES

Nutritional habits and food consumption directly impact the immune system. Nutrient deficiency, excessive consumption of sugary and allergenic foods, and high blood cholesterol levels suppress the immune system.[8] Proper nutrition also influences the immune system by affecting the composition of gut microbiota. Moreover, the microbiota produces metabolites such as short-chain fatty acids and ligands of the aryl hydrocarbon receptor that process food components and control the development and activity of certain immune cells, including regulatory T cells.[9] Glutamine, arginine, omega-3 and omega-6 fatty acids, zinc, selenium, iron, vitamins A, C, E, D, and breast milk components are the main nutrients that affect the immune system.[10-12] Deficiency of these nutrients in children may impair the immune system function in later periods.[13]

These nutrients have various functions in the human body.[14] We can list these as follows:

- It acts as fuel for the immune system's activity.
- It forms building blocks for the production of RNA and DNA, proteins (antibodies, cytokines, receptors, acute phase proteins, etc.), and new cells.

This work is licensed under a Creative Commons Attribution 4.0 International License.

- Forms specific substrates for the production of immune-active metabolites (e.g., arginine as a nitric oxide substrate).
- Regulators of immune cell metabolism (e.g., vitamin A, zinc)
- They have specific antibacterial or antiviral effects (e.g., vitamin D and zinc).
- They protect the host from oxidative and inflammatory stress (e.g., vitamin C, vitamin E, zinc, selenium, long-chain omega-3 fatty acids, and many plant polyphenols).
- They act as substrates for gut microbiota, thus modulating the immune system.
- The following are the nutrition and lifestyle recommendations for effective functioning of the immune system:[15]
- Unprocessed products such as vegetables, fruits, seeds, cereals, and legumes should be consumed.
- The consumption of fat and refined sugar should be limited.
- Drink at least 2 liters of water per day.
- Sleep for at least seven hours a day.

NUTRIENTS

Vitamin A

Vitamin A and its derivatives retinoids, are critical for immune functions, including innate immunity, cell-mediated immunity, and humoral antibody immunity.[16] Vitamin A plays an important role in maintaining the integrity and secretion of the epithelial and mucosal surfaces. These systems form a primary nonspecific host defense mechanism. Studies have demonstrated that vitamin A stimulates and strengthens numerous immune processes, including the following:[17]

- Cell-mediated cytotoxicity stimulation against tumors.
- Natural killer cell activity
- Lymphocyte blastogenesis
- Mononuclear phagocytosis
- Antibody response.

Vitamin A supplementation significantly reduces morbidity during the acute and recovery phases of measles infection; increases the total number of lymphocytes in peripheral blood, and measles IgG antibody concentration in these patients.[18]

Vitamin C

Vitamin C plays a critical role in maintaining immune system function and contributes to both innate and acquired immunity, particularly immune cell function (epithelial barrier integrity, chemotaxis, antimicrobial activity of phagocytes, natural killer cell activity, and the immune system), as well as lymphocyte proliferation and differentiation.[19,20] It has been shown that taking 1-3 grams/day of vitamin C for three days a week increases T cell proliferation in the long term.[21]

Vitamin E

Free radicals damage the membrane of immune cells, reducing their response to pathogenic challenges, leading to impaired immune and inflammatory responses, and consequently, the development of inflammatory diseases.[22] Vitamin E is an important antioxidant that cleans free radicals from the body.[23] It protects against oxidative stress, increases the activity of natural killer cells, and contributes to antibody formation.[24] Vitamin E deficiency weakens the immune system, whereas adequate intake supports both innate and acquired immunity.[25] Vitamin E is closely associated with crucial immune cell functions such as macrophages, dendritic cells, B cells, and natural killer cells. Vitamin E supports the interaction between dendritic cells and T cells, especially Th1 cells, and stimulates IL-2 production.14 It has been shown that supplementation with 100 mg/day of vitamin E for eight weeks regulate the development of natural killer cells.[26] Vitamin E supplementation positively affects respiratory tract infections in newborn babies.[27]

Vitamin B6

Vitamin B6 serves as a coenzyme in synthesizing proteins that make up antibodies and cytokines.[28] Vitamin B6 plays an essential role in the production of interleukins and T lymphocytes, and its deficiency results in decreased IL-2 production and increased IL-4 production.[29] In the presence of chronic inflammation, there is an inverse relationship between vitamin B6, IL-6, and TNF-α levels.[30] The liver, kidney, meat, and green leafy vegetables contain high amounts of vitamin B6 (Table 1).[27]

Table 1. Vitamin B6 values in 100 grams of some foods

Food	Amounts of vitamin B6 (mg per 100 grams)
Breast milk	5-22
Cow's milk	50-70
Meat	300-400
Liver	700-800
Kidney	400-1000
Rice flour	30-50
Green leafy vegetables	250-300
Fresh fruits	50-60

The human body cannot synthesize vitamin B6. It can be found in food or in microorganisms in the digestive system, such as Helicobacter pylori, Bifidobacterium longum, Bacteroides fragilis, Collinsella aerofaciens, and Prevotella copri, which make pathways for B6 vitamin synthesis.[30]

Vitamin D

Vitamin D affects both innate and acquired immunity.[31] Vitamin D increases chemotaxis, phagocytosis, and the production of antimicrobial proteins.[32] Vitamin D protects against bacterial or viral upper respiratory tract infections.[33] It has been shown that individuals with vitamin D deficiency have an increased risk of contracting tuberculosis.[34] Furthermore, the treatment of T cells with calcitriol or its analogs, especially vitamin D, inhibits the secretion of pro-inflammatory Th1 (IL2, interferon-γ, tumor necrosis factor α), Th9 (IL9), and Th22 (IL22) cytokines while supporting the production of anti-inflammatory Th2 cytokines (IL3, IL4, IL5, IL10).[35,36]

Vitamin D also has an impact on autoimmune diseases. Vitamin D deficiency is associated with type 1 diabetes (T1D), multiple sclerosis (MS), systemic lupus erythematosus, rheumatoid arthritis, and irritable bowel syndrome.[37]

Vitamin D supplementation has been shown to reduce pain in patients with rheumatoid arthritis, and improvements in mental health have been observed in individuals with MS.[38,39]

Zinc

Zinc is a catalytic component of over 300 enzymes that regulates cell communication, proliferation, differentiation, and survival. It is also an effective mineral for innate and acquired immunity.[40] Zn increases the number of natural killer cells and reduces their cytotoxicity. It decreases the number of T cells, Th1/Th2 ratio, and IL-2 production.[41] Zinc also regulates B lymphocytes and cytokine synthesis.[42]

However, excess zinc can also negatively affect the immune system, leading to zinc deficiency.[41] Zinc prevents the entry of viruses into the body and inhibits their replication.[43,44] Zinc also enables the intestinal microbiota to be modulated.[45]

Iron

Iron is effective in innate immunity because it controls the production of antimicrobial factors such as nitric oxide and hydroxyl radicals. Acquired immunity is effective in increasing lymphocytes.[46] Pathogenic microorganisms and viruses need nutrients in the blood, such as free-floating iron, to sustain their activities. However, the host must have sufficient iron concentration to induce an immune response.[47] Natural killer cells require iron for proliferation and differentiation.[48] Iron is also required for T-cell proliferation. It plays a role in DNA synthesis, especially in Th1 cells.[49]

Iron deficiency decreases the cell-mediated immunity, activity of myeloperoxidase enzyme, and activity of neutrophil and natural killer cells.[50,51]

Glutamine

Glutamine is the most abundant amino acid in the human body.[52] Due to its ability to increase lymphocyte function and IL-6 levels in macrophage cells, glutamine is effective in the immune system.[53,54] A previous study showed that, glutamine supplementation increased the effectiveness of neutrophils against Staphylococcus aureus.[55] Furthermore, glutamine plays a role in cellular protection against oxidative stress by serving as the main substrate for producing the antioxidant glutathione.[56]

When an infection starts in the body, immune cells consume more glutamine than carbohydrates. In mammals, glutamine is produced, stored, and secreted by the skeletal muscles.[57] Increased glutamine consumption by tissues such as the liver and immune cells can lead to glutamine deficiency.[58] A decrease in plasma glutamine levels leads to impaired immune system function. Decreased glutamine levels reduce cytokine production and lymphocyte proliferation, leading to apoptosis in these cells.[59]

Breast Milk

Breast milk plays an active role in the immune system, with its bioactive components, such as immunoglobulins, cytokines, chemokines, and growth factors.[60] Quantitative immunoglobulins are found in breast milk:IgM, IgG, IgD, and IgA (**Table 2**).

Table 2. Concentrations of essential soluble immune factors in human milk under physiological conditions.[60]

Immune factors	Type	Concentrations
IgA (mg/L)	Mature breast milk	160-2435
	Colostrum	1428-8700
	Preterm breast milk	260-3181
IgG (mg/L)	Mature breast milk	14-230
	Colostrum	40-150
	Pretersm breast milk	70-90
IgM (mg/L)	Mature breast milk	7.5-170
	Colostrum	160-660
	Preterm breast milk	380-440
TGF-β2 (mg/L)	Mature breast milk	0.26-99
	Colostrum	1.8-336
	Preterm breast milk	7.5-15.5
EGF (mg/L)	Mature breast milk	2.2-10.8
	Preterm breast milk	0.7-1.9
IL-7 (ng/L)	Mature breast milk	17.2-131.5
	Colostrum / preterm breast milk	75-1088
IL-8 (ng/L)	Mature breast milk	2.3-1704
	Preterm breast milk	309-2542
GRO-α (mg/L)	Mature breast milk	0.05-15
MIP-1β (ng/L)	Mature breast milk	2.7-76

IgA is the most abundant, accounting for 95%, and its levels decrease gradually after birth. IgA protects against enteric and respiratory antigens.[61] Therefore, breastfed infants are more resistant to respiratory tract infections.[62]

Lactoferrin, one of the most abundant proteins found in breast milk, prevents infection, plays a role in iron metabolism, and has important functions in the immune system, owing to its anti-inflammatory and antioxidant properties. It exerts bacteriostatic effects by binding and transporting iron into the body.[63] Lactoferrin enhances the activity of natural killer cells. In addition, it prevents viral accumulation in cells and entry of the virus into the host through the angiotensin-converting enzyme-2 receptor pathway.[64] Lactoferrin mediates changes in the expression of signaling molecules, which control the balance between molecules that cause inflammation and molecules that stop it.[65] The expression of anti-inflammatory cytokines, such as IL-4 and IL-10, and pro-inflammatory cytokines, such as tumor necrosis factor-alpha, IL-1, IL-6, IL-12, and chemokines, such as IL-8, is controlled by lactoferrin.[66] Breast milk contains bioactive growth factors. These bioactive components play an important role in the development of healthy infants because they contribute to the production of red blood cells and exhibit anti-inflammatory and antioxidant properties.[63]

The oligosaccharides found in breast milk prevent respiratory pathogens such as Streptococcus pneumoniae from binding to the respiratory epithelium. Additionally, milk glycoproteins prevent colonization by intestinal pathogens such as Vibrio cholera and Escherichia coli.[67]

Breast milk interacts directly with glycan-binding proteins

expressed in epithelial cells and innate immune system cells.[68] One of the components found in breast milk is long-chain polyunsaturated fatty acids. Omega-3 and omega-6 fatty acids improve Th1 and Th2 immune cell responses.[69] Additionally, although docosahexaenoic acid (DHA) and arachidonic acid make up a relatively small portion of the total fatty acids in human breast milk, they play a role in the development of immunity.[70] If infant formulas are supplemented with these fatty acids for infants who are not breastfed, the number of lymphocytes and cytokines will be similar to those in breastfed infants.[70] Additionally, breast milk contains lactic acid bacteria such as Lactobacillus, Lactococcus, and Leuconostoc as well as bacterial species such as Bifidobacterium, Streptococcus, Enterococcus, and Staphylococcus.[71,72] Breast milk containing more than 820 species of bacteria enhances the development of the infant's early immune system, maintains tolerance to commensal microbial members, and enhances intestinal host defense against pathogens.[73]

Proteins

Some proteins such as lectin, lactoferrin, and whey proteins stimulate immune responses. Lectin and lactoferrin can recognize viruses by binding to their glycoproteins. Whey proteins, however, enhance immunity and reduce certain cancer risks.[74] A protein intake of 3-4 g/kg/day is recommended for infants, while for older children, a protein intake of 1.5-2 g/kg/day is recommended.27

Protein deficiency causes dysfunction in epithelial and physiological barriers, and impairs macrophage, neutrophil, and natural killer cell functions [75] Additionally, protein deficiency in the diet leads to atrophy of lymphoid organs and a deficiency of T lymphocytes, which increases susceptibility to viral and bacterial pathogens, as well as opportunistic infections.[76]

Fats

Fatty acids play a role in regulating many responses, including inflammation and immune function.70 Omega-3 polyunsaturated fatty acids (PUFAs), in particular, play an important role in regulating the immune system due to their antioxidant properties.[77] Omega-3 PUFAs are important fatty acids that strengthen anti-inflammatory responses, block hyperinflammatory reactions, and reduce the incidence of systemic inflammatory response syndrome and infectious complications.[78,79] Furthermore, omega-3 fatty acids regulate the activation of macrophages, neutrophils, basophils and lymphocytes.[80]

CONCLUSION

Nutrition plays an important role in the development of the immune system and the fight against infectious diseases. Malnutrition and obesity, which result from inadequate and unbalanced nutrition, weaken the immune system and reduce the effectiveness of fighting diseases. However, adequate and balanced nutrition, which provides energy and essential nutrients, enhances the development and effectiveness of innate and acquired immunity, making the emergence of infectious diseases less likely and improving the ability to fight disease. Therefore, outbreaks of diseases are increasing, especially in the 21st century, and ensuring that children have adequate and balanced nutrition is crucial to avoiding infectious diseases.

ETHICAL DECLARATIONS

Referee Evaluation Process

Externally peer-reviewed.

Conflict of Interest Statement

The authors have no conflicts of interest to declare.

Financial Disclosure

The authors declared that this study has received no financial support.

Author Contributions

All of the authors declare that they have all participated in the design, execution, and analysis of the paper, and that they have approved the final version.

REFERENCES

1. Wu J, He W. Nutrition and infections. *Front Nutrit*. 2022;9:992095.
2. Tekin R. Kronik Enfeksiyonlar ve Beslenme. In: Haspolat YK, Çeltik C, Çarman Kb, Akbulut UE, Taşkın T, eds. Çocuk Kronik Hastalıklarında Beslenme. *Orient Yayınları:* 2021:77-80.
3. Keustch GT. The history of nutrition: malnutrition, infection and immunity. *J Nutr*. 2003;133(1):336S-340S.
4. Katona P, Katona-Apte J. The interaction between nutrition and infection. *Clin Infect Dis*. 2008;46(10):1582-1588.
5. Protudjer JLP, Sevenhuysen GP, Ramsey CD, McGavock JM, Becker AB. Early life nutrition, the developing immune system and subsequent allergic manifestations. *Allergy Asthma Clin Immuno*l. 2010;12(6):3.
6. Chandra RK. Nutrition and the immune system from birth to old age. *Eur J Clin Nutr*. 2002;56(3):73-76.
7. Schaible UE, Kaufmann SHE. Malnutrition and infection: complex mechanisms and global impacts. *PLoS Med*. 2007;4(5):e115.
8. Murray MT, Nowicki J. Immune System Support. In: Murray MT, Nowicki J, eds. Textbook of Natural Medicine. 5th ed. Elsevier: 2021:1009-1016.
9. Colonna M. The immune system and nutrition: homing in on complex interactions. *Semin Immunol*. 2015:27(5):297-299.
10. Wichers H. Immunomodulation by food: promising concept for mitigating allergic disease? *Anal Bioanal Chem*. 2009;395(1):37-45.
11. McCowen KC, Bistrian BR. Immunonutrition: problematic or problem solving? *Am J Clin Nutr*. 2003;77(4):764–770.
12. Yılmaz Önal H, Demirci Z. The role of nutritional supplements in the development and support of the immune system. *J Health Pro Res*. 2020;2(3):113-116.
13. Czerwonogrodzka-Senczyna A, Janusz M, Jeznach-Steinhagen A, Demkow U, Pyrzak B. Nutrition and immune system in children with simple obesity. *Adv Experiment Med Biol*. 2016;878:49-56.
14. Calder PC. Nutrition and immunity: lessons for COVID-19. *Nutr Diabetes*. 2021;23:11(1):19.
15. Murray MT, Nowicki J. Immune System Support In: Murray MT, Nowicki J, eds. Textbook of Natural Medicine. 5th ed. Elsevier: 2021:1009-1016.
16. Stephensen CB. Vitamin A, infection, and immune function. *Annu Rev Nutr*. 2001;21:167-192.
17. Katzinger J. Murray MT. Vitamin A. In: Pizzorno JE, Murray MT, eds. Textbook of Natural Medicine. 5th ed. Elsevier: 2021:910-918.
18. Coutsoudis A, Kiepiela P, Coovadia H, Broughton M. Vitamin A supplementation enhances specific IgG antibody levels and total lymphocyte numbers while improving morbidity in measles. *Pediatr Infect Dis J*. 1992;11(3):203-208.
19. Webb AL, Villamor E. Update: Effects of antioxidant and non-antioxidant vitamin supplementation on immune function. Nutr Rev. 2007;65(5):181-217.
20. Jafari D, Esmaeilzadeh A, Mohammadi-Kordkhayli M, Rezaei N. Vitamin C and the immune system. In: Mahmoudi M, Rezaei N, eds. Nutrition andimmunity. Springer: 2019:81-102.
21. Anderson R, Smit MJ, Joone GK, van Straden AM. Vitamin C and cellular immune func-tions: protection against hypochlorous acid-mediated inactivation of glyceraldehyde-3-phosphate dehydrogenase and ATP generation in human leucocytes as a possible mechanism of ascorbate-mediated immunostimulation. *Ann NY Acad Sci*. 1990;587:34-48.
22. Meydani SN, Han SN, Wu D. Vitamin E and immune response in the aged: molecular mechanisms and clinical implications. *Immunol Rev*. 2005;205(1):269-284.

23. Lee GY, Han SN. The role of vitamin E in immunity. *Nutrients.* 2018;10(11):1614.
24. Watson RR. Vitamin E and the immune system. Delves PJ, Roitt IM, eds. Encyclopedia of Immunology. 2nd ed. Elsevier: 1998:2500-2501.
25. Lewis ED, Meydani SN, Wu D. Regulatory role of vitamin E in the immune system and inflammation. *IUBMB Life*. 2019;71(4):487-494.
26. Adachi N, Migita M, Ohta T, Higashi A, Matsuda I. Depressed natural killer cell activity due to decreased natural killer cell population in a vitamin Edeficient patient with Shwachman syndrome: reversible natural killer cell abnormality by α-tocopherol supplementation. *Eur J Pediatr.* 1997;156(6):444-448.
27. Köksal G, Gökmen H. Çocuk Hastalıklarında Beslenme Tedavisi. Hatiboğlu Yayınevi: 2000.
28. Leklem JE. Vitamin B6. In: Rucker RB, Suttie JW, McCormick DB, Machlin LJ, eds. Handbook of Vitamins. 3rd ed. Marcel Dekker Inc: 2001:339-396.
29. Qian B. Shen S. Zhang J. Jing P. Effects of vitamin B6 deficiency on the composition and functional potential of t cellpopulations. *J Immunol* Res. 2017;2017:2197975.
30. Stach K, Stach W, Augoff K. Vitamin B6 in health and disease. *Nutrients*. 2021;13(9):3229.
31. Aranow C. Vitamin D and the immune system. *J Investig Med.* 2011;59(6):881-886.
32. Mathieu C. Vitamin D and the immune system: getting it right. *IBMS Bonekey.* 2011;8(4):178-186.
33. Yamshchikov AV, Desai NS, Blumberg HM, Ziegler TR, Tangpricha V. Vitamin D for treatment and prevention of infectious diseases: a systematic review of randomized controlled trials. *Endocr Pract*. 2009;15(5):438-449.
34. Gibney KB, MacGregor L, Leder K, et al. Vitamin D deficiency is associated with tuberculosis and latent tuberculosis infection in immigrants from sub-Saharan Africa. *Clin Infect Dis*. 2008;46(3):443-446.
35. Boonstra A, Barrat FJ, Crain C, Heath VL, Savelkoul HF, O'Garra A. 1α, 25-Dihydroxyvitamin D3 has a direct effect on naive CD4+ T cells to enhance the development of Th2 cells. *J Immunol*. 2001;167(9):4974-4980.
36. Giulietti A. Gysemans C. Stoffels K, et al. Vitamin D deficiency in early life accelerates type 1 diabetes in non-obese diabetic mice. *Diabetologia*. 2004;47(3):451-462.
37. Prietl B, Treiber G, Pieber T, Amrein K. Vitamin D and immune function. *Nutrients*. 2013;5(7):2502-2521.
38. Mukherjee D, Lahiry S, Thakur S, Chakraborty DS. Effect of 1.25 dihydroxy vitamin D3 supplementation on pain relief in early rheumatoid arthritis. *J Fam Med Prim Care*. 2019;8(2):517-522.
39. Ashtari F, Toghianifar N, Zarkesh-Esfahani SH, Mansourian M. High dose vitamin D intake and quality of life in relapsingremitting multiple sclerosis: a randomized, double-blind, placebo-controlled clinical trial. *Neurol Res*. 2016:38(10);888-892.
40. Bonaventura P, Benedetti G, Albarède F, Miossec P. Zinc and its role in immunity and inflammation. *Autoimmun Rev*. 2015;14(4):277-785.
41. Calder CP, Parveen Yaqoob. Diet, Immunity and Inflammation. Woodhead Publishing: 2013.
42. Wessels I, Fischer HJ, Rink L. Dietary and physiological effects of zinc on the immune system. *Annu Rev Nutr*. 2021;41:133-175.
43. Han YS, Chang GG, Juo CG, et al. Papain-like protease 2 (PLP2) from severe acute respiratory syndrome coronavirus (SARS-CoV): expression, purification, characterization, and inhibition. *Biochemistry*. 2005;44(30):10349-10359.
44. Merluzzi VJ, Cipriano D, McNeil D, et al. Evaluation of zinc complexes on the replication of rhinovirus 2 in vitro. *Res Commun Chem Pathol Pharmacol*. 1989;66(3):425-440.
45. Scarpellini E, Balsiger LM, Maurizi V, et al. Zinc and gut microbiota in health and gastrointestinal disease under the COVID-19 suggestion. *Biofactors*. 2022;48(2):294-306.
46. Ganz T, Nemeth E. Iron homeostasis in host defence and inflammation. *Nat Rev Immunol*. 2015;15(8):500-510.
47. Oppenheimer SJ. Iron and its relation to immunity and infectious disease. *J Nutr* 2001;131(2):616S-635S.
48. Brock JH, Mulero V. Cellular and molecular aspects of iron and immune function. *Proc Nutr Soc*. 2000;59(4):537-540.
49. Thorson JA, Smith KM, Gomez F, Nau-mann PW, Kemp JD. Role of iron in T cell activation: Th-1 clones differ from Th-2 clones in their sensitivity to inhibition for DNA synthesis caused by IGG Mabs against transferrin receptor and iron chelators des-ferrioxamine. *Cell Immunol*. 1991;134(1):126-127.
50. Wintergerst ES, Maggini S, Hornig DH. Immune-enhancing role of vitamin C and zinc and effect on clinical conditions. *Ann Nutr Metab*. 2006;50(2):85-94.
51. Maynor L, Brophy DF. Risk of infection with intravenous iron therapy. *Ann Pharmacother*. 2007;41(9):1476-1480.
52. Kim H. Glutamine as an immunonutrient. *Yonsei Med J*. 2011;52(6):892-897.
53. Hiscock N, Petersen EW, Krzywkowski K, Boza J, Halkjaer-Kristensen J, Pedersen BK. Glutamine supplementation further enhances exercise-induced plasma IL-6. *J Appl Physiol*. 2003;95(1):145-148.
54. Newsholme EA, Parry-Billings M. Properties of glutamine release from muscle and its importance for the immune system. *JPEN J Parenter Enteral Nutr*. 1990;14(4S):63S-67S.
55. Ogle CK, Ogle JD, Mao JX, et al. Effect of glutamine on phagocytosis and bacterial killing by normal and pediatric burn patient neutrophils. *JPEN J Parenter Enteral Nutr*. 1994;18(2):128-133.
56. Rhoads JM, Argenzio RA, Chen W, et al. Glutamine stimulates intestinal cell proliferation and activates mitogen-activated protein kinases. *Am J Physiol*. 1997;272(5):G943-G953.
57. Newsholme EA, Newsholme P, Curi R. The role of the citric acid cycle in cells of the immune system andits importance in sepsis, trauma and burns. *Biochem Soc Symp*.1987;54:145-162.
58. Oudemans-van Straaten HM, Bosman RJ, Treskes M, van der Spoel HJ, Zandstra DF. Plasmaglutamine depletion and patient outcome in acute icu admissions. *Intensiv Care Med*. 2001;27(1):84-90.
59. Roth E. Nonnutritive effects of glutamine. *J Nutr.* 2008;138(10):2025S-2031S.
60. Ruiz L, Fernández L, Rodríguez JM. Immune factors in human milk. In: Mcguire M, O'connor DL, eds. Human Milk. Academic Press: 2020:275-298.
61. Palmeira P, Carneiro-Sampaio M. Immunology of breast milk. *Revista da Associação Médica Brasileira*. 2016;62(6):584-593.
62. Hamosh M, Dewey KG, Garza C. Infant Outcomes. In: Institute of Medicine. Subcommittee on Nutrition during Lactation. Nutrition during Lactation. Washington, DC: National Academy Press: 1991:152-196.
63. Neu J, Bioactive components of human milk. In: Josef Neu, ed. The Science of Human Milk. Academic Press: 2024:31-42.
64. Kell DB, Heyden EL, Pretorius E. The biology of lactoferrin, an iron-binding protein that can help defend against viruses and bacteria. *Front Immunol*. 2020;11:1221.
65. Embleton ND, Berrington JE, McGuire W, Stewart CJ, Cummings SP. Lactoferrin: antimicrobial activity and therapeutic potential. *Semin Fetal Neonatal Med*. 2013;18(3):143-149.
66. Legrand D. Lactoferrin, a key molecule in immune and inflammatory processes. *Biochem Cell Biol*. 2012;90(3):252-268.
67. Peterson JA, Patton S, Hamosh M. Glycoproteins of the human milk fat globule in the protection of the breast-fed infant against infections. *Biol Neonate*. 1998;74(2):14362.
68. Lehmann S, Hiller J, Van Bergenhenegouwen J, Knippels LM, Garssen J, Traidl- Hoffmann C. In vitro evidence for immune-modulatory properties of non-digestible oligosaccharides: direct effect on human monocyte derived dendritic cells. *PLoS One*. 2015;10(7):e0132304.
69. Calder PC, Grimble RF. Polyunsaturated fatty acids, inflammation and immunity. *Eur J Clin Nutr*. 2002;56(3):S14-S19.
70. Field CJ, Clandinin MT, Van Aerde JE. Polyunsaturated fatty acids and T-cell function: implications for the neonate. *Lipids*. 2001;36(9):1025-1032.
71. Heikkila MP, Saris PE. Inhibition of Staphylococcus aureus by the commensal bacteria of human milk. *J Appl Microbiol*. 2003;95(3):471-478.
72. Gueimonde M, Laitinen K, Salminen S, Isolauri E. Breast milk: a source of bifidobacteria for infant gut development and maturation? *Neonatol*. 2007;92(1):64-66.
73. Kujawska M, Collado M, Hall L. Microbes, human milk, and prebiotics. In: Koren O, Rautava S, eds. The Human Microbiome in Early Life: Implications to Health and Disease. Elsevier: 2021:197-237.
74. Ulusal Beslenme Konseyi Enfeksiyon Hastalıklarında (COVID-19) Beslenme, Takviye Edici Gıdalar ve Sağlık Etkileri Bilim Komisyonu Raporu" Sağlık Bakanlığı, Halk Sağlığı Genel Müdürlüğü, Sağlık Bakanlığı Yayın No:1 , Ankara 2022.
75. Raiten DJ, Sakr Ashour FA, Ross AC, et al. Inflammation and nutritional science for programs/policies and interpretation of research evidence (INSPIRE). *J Nutr*. 2015;145(5):1039S-1108S.
76. Cunningham-Rundles S, McNeeley DF, Moon A. Mechanisms of nutrient modulation of the immune response. *J Allergy Clin Immunol*. 2005;115(6):1119-1128.

77. Redel H, Polsky B. Nutrition, Immunity, and Infection. In: Bennett JE, ed. Mandell, Douglas, and Bennett's Principles and Practice of Infectious Diseases. 9th ed. Elsevier: 2020:132-141.
78. Bheliya VK, Pathak AK. Clinical research and role of dietary supplement in the treatment of middle east respiratory syndrome current status, *J Pharm Pharm Sci*. 2020;9(3):823-839.
79. Zhao Y, Wang C. Effect of ω-3 polyunsaturated fatty acid-supplemented parenteral nutrition on inflammatory and immune function in postoperative patients with gastrointestinal malignancy: a meta-analysis of randomized control trials in China. *Medicine*. 2018;97(16):e0472.
80. Mazidimoradi A, Alemzadeh E, Alemzadeh E, Salehiniya H. The effect of polyunsaturated fatty acids on the severity and mortality of COVID patients: a systematic review. *Life Sci*. 2022;299:120489.
81. Norata GD, Caligiuri G, Chavakis T, et al. The cellular and molecular basis of translational immunometabolism. *Immunity*. 2015;43(3):421-434.
82. Rathmell JC, Vander Heiden MG, Harris MH, Frauwirth KA, Thompson CB. In the absence of extrinsic signals, nutrient utilization by lymphocytes is insufficient to maintain either cell size or viability. *Mol Cell*. 2000;6(3):683-692.
83. Suzuki H, Hisamatsu T, Chiba S, et al. Glycolytic pathway affects differentiation of human monocytes to regulatory macrophages. *Immunol Lett*. 2016;176:18-27.
84. Joshi SA. Nutrition and Dietetics with Indian Case Studies. 3rd ed. Tata McGraw Hill Education 2010.

Ali Emrecan Ata

I graduated from the Nutrition and Dietetics undergraduate program at Kastamonu University in 2017, followed by completing a master's degree in Nutrition and Dietetics at Yeditepe University in 2019. Since 2019, I have been enrolled in the Nutrition and Metabolism PhD program at Kırıkkale University. Additionally, since 2019, I have been working as a Lecturer in the Food Processing Department at Amasya University. My research interests include adolescent and youth nutrition, nutrition for children with autism, and the relationship between food and nutrition.